

GRID NEWSLETTER / JANUARY 2020

GET THE INSIDE TRACK WITH ROCKFON'S SOLUTION BOX



Discover some essential tools needed for everyday ceiling installations that will save you money, increase efficiency and ensure a hassle-free installation.

Our Solution Box features 11 useful Chicago Metallic[™] accessories that can make the difference between an easy installation and a bad one.

TIME IS MONEY! SO WHY WASTE IT?

With Rockfon's updated baffles portfolio, installing a framed baffle is a cinch. Discover 5 easy installation types for your next project.

PAGE 4





GET THE INSIDE TRACK WITH ROCKFON'S SOLUTION BOX

We understand that every project is unique and presents its own challenges, which is why we have brought together a variety of accessories that help you solve common challenges that you can face on the job.

DISCOVER THE POSSIBILITIES


Book your own personal information session and learn new and innovative ways to put our accessories to work for you.

It is a great opportunity for insights into accessories that could really make a difference in your everyday work.

WHAT ARE YOU WAITING FOR?

Get in touch with one of our Area Sales Managers who will introduce you to all the great components in the Solution Box and the many ways the accessories can be used to simplify your ceiling installations.

www.rockfon.co.uk/contact or call 0208 222 7457



Save time and increase efficiency

U

Avoid common installation challenges

Remove the need for makeshift installations

TAKE A LOOK AT A FEW HANDY PRODUCTS FROM OUR SOLUTION BOX

OUR HOLD DOWN CLIPS SECURE YOUR CEILING

Plastic hold down clips for optimal pressure distribution to reduce movement due to uplift, impact and cleaning:

HDC 1 - for tile thickness 15-20 mm (A edge), 15-30 mm (E edge), 20-25 mm (X, M, Z edge), 20-30 mm (D edge) HDC 2 - for tile thickness 25-30 mm (A edge), 40 mm (E, D edge) HDC 3 - for tile thickness 40 mm (A edge), 50 mm (D edge).



- Can be used in harsh indoor environments
- Easy to install and demount without damaging the ceiling tile

BRIDGING THE GAP

This Wall & Bridging Bracket can be used to connect profiles to one another without the use of cross tees to create multi-layer grid constructions. Useful when using around light fixtures, ventilation ducts and pipes where these interrupt the primary grid layer.

CREATE QUICK AND EASY BESPOKE MODIFICATIONS TO YOUR INSTALLATION

This easy to use T-profile connector is perfect for creating secure one-sided couplings and removes the need for makeshift configurations. It can be screw fastened to provide additional security if needed.

DIRECT SUSPENSION CLIP

With this direct suspension clip you can attach the T-profile to the soffit giving a total plenum height of 5 cm. Ideally suited for use with Rockfon System T24 X to create low suspension height ceilings.



- Reaction to Fire: A1
- Corrosion resistance: B
- Environment:
 Fully recyclable
- Load Bearing Capacity: 20 kg
- Quick and easy mounting
- Makes T connections possible everywhere on the grid
- Works with all Chicago Metallic profiles (38 mm height)



- Reaction to Fire: A1
- Corrosion resistance: B
- Environment: Fully recyclable

3

TIME IS MONEY! SO WHY WASTE IT?

Bring easy to install acoustic comfort to any space

With Rockfon's updated baffles portfolio, installing a framed baffle is a cinch. Discover 5 easy installation methods for your next project.

The Rockfon Humitec[®] Baffle is ideal for humid or harsh indoor environments or for areas that require regular cleaning. The Rockfon Universal[™] Baffle is perfect for offices, schools, retail or leisure spaces and is available in Universal White and 31 colours from the Rockfon Color-all range. Our Rockfon Industrial[™] Baffle has a durable surface and is best for noisy industrial areas where it is important to keep noise at safe levels for employees.

A wealth of suspension options

All of the Rockfon Framed Baffles have our patented multi-functional clip that enables various quick and easy suspension options.



The Rockfon Baffle Support Track Solution is flexible and creates a versatile working space that has an attractive finish with easy alignment.



The Rockfon Baffle T24 Solution, which is also available in an ECR version, combines the strength of our Chicago Metallic[™] T24 Grid for a strong connection.



The framed Rockfon Baffles can be suspended using either the Design Suspension Set, the Classic Suspension Set or hangers, perfect for quickly adjusting the height of your baffle.



The Rockfon Baffle ECR Direct Fixing Bracket Solution also enables easy alignment and one suspension point for two baffles.

Find which framed baffle is right for your next Project

Discover which Rockfon Baffle solution is right for your next project by visiting our website.

Visit the Rockfon Humitec Baffle, Rockfon Universal Baffle and Rockfon Industrial Baffle product pages for our datasheets and system descriptions.

Check out our installation video library

We have recently added four new installation , showing various suspension methods for our baffle range.

Be sure to check them out and subscribe to our YouTube channel for other interesting content.



Rockfon

ROCKWOOL Limited T/A Rockfon 14th Floor, Chiswick Tower, 389 Chiswick High Road, London W4 4AL Tel: +44 (0) 208 222 7457 www.rockfon.co.uk

